

Can your solvent take the pressure? New Fisher Chemical UHPLC Gradient Grade Solvents can!

- Acetonitrile
- Methanol
- Water



Fisher Chemical Solvents for UHPLC Gradient Grade Analysis

New Solvents

For over 40 years, we have been producing a full range of Fisher Chemical high purity solvents that set the standard for high sensitivity and provide accurate, reproducible, high resolution analytical separations.

We have raised the bar by introducing a unique range of UHPLC Gradient Grade Solvents.

Our solvents have an extraordinarily low solvent filtration of 0.1 μm , ensuring low baseline noise and reducing pump blockages. Perfect for those working at high pressure, where high sensitivity and a fast run rate are key to successful analysis.

In addition to a low filtration, our solvents display a remarkably high UV transmission rate making them the ideal solvent for UHPLC applications using UV detection.

SOLVENTS KEY FEATURES

- Outstanding high UV transmission
- Interference free, low baseline noise at 210 nm and 254 nm
- Low acidity & alkalinity level
- Lot-to-lot consistency
- Filtered to 0.1 μm

UHPLC System

The UHPLC (Ultra High Pressure Liquid Chromatography) pump has become an indispensable instrument to get shorter run times while maintaining chromatography integrity.

Thermo Scientific Liquid Chromatography systems offer UHPLC compatibility across all modules, ensuring maximum performance for all users and all laboratories. Our systems cover flows from 20 nL/min to 10 mL/min and operating pressures up to 1,250 bar.

We provide a wide range of pumping, sampling, and detection modules and a large suite of integrated features which increase application flexibility and efficiency. These systems improve the productivity of any laboratory, from routine industrial QA/QC to advanced drug discovery.

We recommend UHPLC Gradient Grade solvents for all UHPLC applications using UV detection.

UHPLC ADVANTAGES

- Faster results and method development
- Improved resolution
- Increased relative sensitivity

Combining our solvents with a UHPLC pump allows one to undertake different types of applications, a fast run rate at high pressure and increase the volume of a run at higher performance levels.



Accela 1250 System with Open Autosampler



UltiMate 3000 Rapid Separation System

Fisher Chemical Solvents

UHPLC Gradient Grade

Maximum sensitivity and resolution for high speed, high throughput applications

FISHER CHEMICAL SOLVENTS FOR UHPLC GRADIENT GRADE ANALYSIS			
CATALOG NUMBER	PRODUCT DESCRIPTION	PACK SIZE	PACKAGING
A/0650/PB15	Acetonitrile, for UHPLC gradient grade analysis	1 L	Plastic coated glass bottle
A/0650/PB17	Acetonitrile, for UHPLC gradient grade analysis	2.5 L	Plastic coated glass bottle
M/4070/PB15	Methanol, for UHPLC gradient grade analysis	1 L	Plastic coated glass bottle
M/4070/PB17	Methanol, for UHPLC gradient grade analysis	2.5 L	Plastic coated glass bottle
W/0120/PB15	Water, for UHPLC gradient grade analysis	1 L	Plastic coated glass bottle
W/0120/PB17	Water, for UHPLC gradient grade analysis	2.5 L	Plastic coated glass bottle

PRODUCT SPECIFICATION

A/0650 ACETONITRILE FOR UHPLC GRADIENT GRADE	
Assay (GC)	>99.9%
Acidity	<0.0002 meq/g
Alkalinity	<0.0002 meq/g
Water	<0.01 %
Residue after evaporation	<1 ppm
Gradient analysis (max.eluted peak) 210 nm	<2 mAU
Gradient analysis (max.eluted peak) 220 nm	<0.1 mAU
Gradient drift at 220 nm	<8 mAU
Absorbance at 195 nm	<0.1 A.U
Absorbance at 200 nm	<0.05 A.U
Absorbance at 210 nm	<0.02 A.U
Absorbance at 220 nm	<0.01 A.U
Absorbance at 230 nm	<0.005 A.U
Absorbance at 240 nm	<0.005 A.U
Absorbance at 250 nm	<0.005 A.U
Filtered to	0.1 µm

M/4070 METHANOL FOR UHPLC GRADIENT GRADE	
Assay (GC)	>99.9%
Acidity	<0.0002 meq/g
Alkalinity	<0.0001 meq/g
Water	<0.02 %
Residue after evaporation	<1 ppm
Gradient analysis (max.eluted peak) 254 nm	<0.1 mAU
Absorbance of the largest eluted peak at 220nm	<0.1 mAU
Gradient drift at 220 nm	<150 mAU
Absorbance at 210 nm	<0.2 A.U
Absorbance at 220 nm	<0.1 A.U
Absorbance at 230 nm	<0.05 A.U
Absorbance at 240 nm	<0.01 A.U
Absorbance at 250 nm	<0.005 A.U
Absorbance at 260 nm	<0.005 A.U
Filtered to	0.1 µm

W/0120 WATER FOR UHPLC GRADIENT GRADE	
Conductivity	<1 µ siemens
Residue after evaporation	<1 ppm
Gradient analysis (max.eluted peak) 220 nm	<0.1 mAU
Gradient analysis (max.eluted peak) 254 nm	<0.1 mAU
Absorbance at 210 nm	<0.2 A.U
Absorbance at 220 nm	<0.1 A.U
Absorbance at 230 nm	<0.05 A.U
Absorbance at 240 nm	<0.01 A.U
Absorbance at 250 nm	<0.005 A.U
Absorbance at 260 nm	<0.005 A.U
Filtered to	0.1 µm



Fisher Chemical Solvents Selection Guide

PRODUCT DESCRIPTION	SIZE	HPLC GRADE	HPLC GRADIENT GRADE	ADVANCED HPLC GRADE	UHPLC GRADIENT GRADE	LC-MS	OPTIMA LC-MS
ACETONITRILE	500 ml	-	-	-	-	-	A955-500
	1 L	A/0626/15	A/0627/15	-	-	A/0638/15	A955-1
	1 L safety bottle	-	-	A/0632/PB15	A/0650/PB15	-	-
	2.5 L	A/0626/17	A/0627/17	-	-	A/0638/17	A955-212
	2.5 L safety bottle	A/0626/PB17	A/0627/PB17	A/0632/PB17	A/0650/PB17	-	-
	4 L	-	-	-	-	-	A955-4
	5 L	A/0626/21	A/0627/21	-	-	-	-
METHANOL	500 ml	-	-	-	-	-	A456-500
	1 L	M/4056/15	M/4058/15	-	-	M/4062/15	A456-1
	1 L safety bottle	-	-	M/4060/PB15	M/4070/PB15	-	-
	2.5 L	M/4056/17	M/4058/17	-	-	M/4062/17	A456-212
	2.5 L safety bottle	M/4056/PB17	M/4058/PB17	M/4060/PB17	M/4070/PB17	-	-
	4 L	-	-	-	-	-	A456-4
	5 L	-	M/4058/21	-	-	-	-
WATER	500 ml	-	-	-	-	-	W6-500
	1 L	W/0106/15	W/0106/15	-	-	W/0112/15	W6-1
	1 L safety bottle	-	-	W/0110/PB15	W/0120/PB15	-	-
	2.5 L	W/0106/17	W/0106/17	-	-	W/0112/17	W6-212
	2.5 L safety bottle	W/0106/PB17	W/0106/PB17	W/0110/PB17	W/0120/PB17	-	-
	4 L	-	-	-	-	-	W6-4
	5 L	-	-	-	-	-	-
ISOPROPANOL (IPA)	500 ml	-	-	-	-	-	A461-500
	1 L	P/7507/15	-	-	-	-	A461-1
	1 L safety bottle	-	-	-	-	-	-
	2.5 L	P/7507/17	P/7508/17	-	-	-	A461-212
	2.5 L safety bottle	P/7507/PB17	-	-	-	-	-
	4 L	-	-	-	-	-	A461-4
	5 L	-	-	-	-	-	-
Filtered to	0.2 µm	0.2 µm	0.2 µm	0.2 µm	0.1 µm	0.2 µm	0.2 µm



For more information, contact your local distributor.

Austria

Fisher Scientific (Austria) GmbH
Rudolf von Alt-Platz 1
A-1030 Wien
Toll-Free Number: 0800 20 88 40
Fax: 0800 20 66 90
info.austria@thermofisher.com
www.at.fishersci.com

Belgium

Fisher Scientific
Clintonpark – Keppekouter
Ninovesteenweg 198
B-9320 Erembodegem
Tel: +32 (0) 56 260 260
Fax: +32 (0) 56 260 270
be.fisher@thermofisher.com
www.be.fishersci.com

Czech Republic

Fisher Scientific, spol. s r.o.
Kosmonautu 324
CZ-530 09 Pardubice
Tel: +420 466 798 230
Fax: +420 466 435 008
info.cz@thermofisher.com
www.thermofisher.cz

Denmark

Fisher Scientific
Industrivej 3
DK-3550 Slangerup
Tel: +45 70 27 99 20
Fax: +45 70 27 99 29
kundeservice@thermofisher.com
www.fishersci.dk

Finland

Fisher Scientific Oy
Ratastie 2
FI-01620 Vantaa
Tel: +358 802 76 280
Fax: +358 802 76 235
fisher.fi@thermofisher.com
www.fishersci.fi

France

Fisher Scientific FAS
Parc d'Innovation BP 50111
67403 Illkirch Cedex
Tel: +33 (0) 3 88 67 53 20
Fax: +33 (0) 3 88 67 11 68
fr.commande@thermofisher.com
www.fr.fishersci.com

Germany

Fisher Scientific GmbH
Im Heiligen Feld 17
D-58239 Schwerte
Toll-Free Number: 0800 3 47 43 70
Fax: 0800 3 47 43 71
info.germany@thermofisher.com
www.de.fishersci.com

Ireland

Fisher Scientific Ireland
Suite 3 Plaza 212
Blanchardstown Corporate
Park 2
Ballycoolin
Dublin 15
Tel: +353 01 885 5854
Fax: +353 01 899 1855
fsie.sales@thermofisher.com
www.ie.fishersci.com

Italy

Fisher Scientific
Tel: +39 02 953 28 258
Fax: +39 02 953 27 374
it.fisher@thermofisher.com
www.it.fishersci.com

The Netherlands

Fisher Scientific
Postbus 4
Scheepbouwersweg 1b
1120 AA Landsmeer
Tel: +31 (0) 20 487 70 70
Fax: +31 (0) 20 487 70 70
nl.info@thermofisher.com
www.fishersci.nl

Norway

Fisher Scientific
Frysjaeveien 33E
0884 Oslo
Tel: +47 22 95 59 59
Fax: +47 22 95 59 40
fisher.no@thermofisher.com
www.fishersci.no

Portugal

Fisher Scientific
Rua Pedro Álvares Cabral,
nº24, 3ºD
Edifício Euro - Infantado
2670-391 Loures
Tel: +351 21 425 33 50/4
Fax: +351 21 425 33 51
pt.fisher@thermofisher.com
www.pt.fishersci.com

Slovenia

Fisher Scientific d.o.o.
Parmova 53
SI-1000 Ljubljana
Tel: +386 597 31 494
Fax: +386 597 31 495
si.info@thermofisher.com
www.si.fishersci.com

Spain

Fisher Scientific
C/ Luis I, 9
28031 Madrid
Tel: +91 380 67 10
Fax: +91 380 85 02
es.fisher@thermofisher.com
www.es.fishersci.com

Sweden

Fisher Scientific
Box 9193
400 94 Göteborg
Tel: +46 31 352 32 00
Fax: +46 31 352 32 50
fisher.se@thermofisher.com
www.fishersci.se

Switzerland

Fisher Scientific AG
Wilstrasse 57
CH-5610 Wohlen
Tel: +41 (0) 56 618 41 11
Fax: +41 (0) 56 618 41 41
info.ch@thermofisher.com
www.ch.fishersci.com

United Kingdom

Fisher Scientific UK Ltd.
Bishop Meadow Road
Loughborough
Leicestershire LE11 5RG
Tel: +44 (0)1509 555500
Fax: +44 (0)1509 555111
fsuk.sales@thermofisher.com
www.fisher.co.uk

